

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"locked gear train".ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 09:51
L2	1	"locked gear train".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 09:33
L3	3	1 2	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 09:41
L4	319451	takashi.in.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 09:41
L5	73295	4 and (speed change device locked gear).ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/07 09:42

L6	1	4 and ("locked gear").ti.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:48
L7	0	5 and "5888247"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:48
L8	15	"locked gear train"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:54
L9	0	8 and (axial\$5 near3 (force thrust load power))	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:54
L10	41868	"gear train"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:54
L11	5976	"gear train".clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:54

L12	429	11 and (axial\$5 near3 (force thrust load power))	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:54
L13	114	11 and (axial\$5 near3 (force thrust load power)). clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:55
L14	112	13 and (mover motor driv\$5 actuat\$5)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:55
L15	45	14 and (pinion and shaft)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:55
L16	28	15 and transmission	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 10:19
L17	2	("3982419").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/04/07 10:23

L18	277	(73/862.49,862.392). CCLS.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/04/07 10:24
L19	5	18 and (gear and pinion and shaft)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 10:24
S2	0	"2002/0117011"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 11:43
S3	38	"0117011"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 11:44
S4	1599	wilks.in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 11:44
S5	325	S4 and "2002"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 11:45

S6	0	S4 and "2002/0117011"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 11:45
S7	4	((("5992243") or ("6105439"))).PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/04/05 13:48
S8	3	S7 and (thrust bearing force load) with (axial\$5 displac\$5 position)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 13:49
S9	3	S7 and (thrust bearing force load) near7 (axial\$5 displac\$5 position)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:06
S10	15	"locked gear train"	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 13:58
S11	8	S10 and (gear and shaft and pinion and (thrust bearing axial displacement force load motor mover) and (torque rotat\$5))	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:05

S12	2	10/045910	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:05
S13	0	S7 and S12	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:05
S14	6	S7 S12	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:05
S15	29843	((thrust bearing force load) near7 (axial\$5 displac\$5 position)) and (gear pinion and shaft and (motor mover) and (torque rotat\$5)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:09
S16	2054	S15 and (locked near5 (gear train drive))	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:09
S17	57692	((sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4) near3 (torque rotat\$6)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 09:47

S18	2284	S17 and ((thrust bearing force load) near7 (axial\$5 displac\$5 position)) and (gear pinion and shaft and (motor mover) and (torque rotat\$5)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:20
S19	176	S18 and (locked near5 (gear train drive))	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:11
S20	10	S19 and (positive negative) near3 (torque force)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/05 14:11
S21	6	S20 and motor	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 09:44
S22	1460	(73/862.31,862.191,862.08,862).CCLS.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/04/06 09:45
S23	215	S22 and (gear and shaft)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 09:46

S24	55	S23 and pinion	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 09:46
S25	40	S24 and ((sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4) near3 (torque force rotat\$6)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:04
S26	1	S25 and (lock\$4 near5 gear)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 13:37
S27	974	(oppos\$5 negative counter\$7) near3 ((axial\$5 thrust) near2 (force load power)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:06
S28	3795	(oppos\$5 negative counter\$7) near3 ((axial\$5 thrust) near2 (force load power) torque).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:06
S29	692	S28 and gear.clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:06

S30	464	S29 and shaft.clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:06
S31	190	S30 and power.clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:06
S32	10	S31 and thrust near3 (bearing support coupl\$5).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 11:07
S33	44969	gear near2 train	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 13:37
S34	6457	(gear near2 train).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 13:39
S35	252	S34 and ((lock\$5 near2 gear) and shaft and pinion)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 13:41

S36	12	S35 and ((oppos\$5 negative counter\$7) near5 (force torque load power)).clm.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/06 14:22
S37	11	S35 and (axial\$5 near5 displacement)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/04/07 09:30